## **Eye Morphology HRWLLA\_EYE\_002**

#### **Purpose**

To detect abnormalities in eye morphology.

#### **Experimental Design**

- Minimum number of animals: 7M + 7F
- Age at test: Week 58
- Sex: We do not expect the results of this test to show sexual dimorphism

#### **Procedure**

- 1. Examine the anterior of both eyes (e.g. with slit lamp) and record any abnormalities
- 2. Test the iris/pupil light response
- 3. Image abnormal eyes as a minimum or all eyes if capacity permits
- 4. Dilate both eyes
- 5. Examine the anterior and posterior of both dilated eyes (e.g. with slit lamp and ophthalmoscope) and record any abnormalities
- 6. Image abnormal eyes as a minimum or all eyes if capacity permits

#### OCT:

- 1. Turn on the OCT and start the database
- 2. Anaesthetize mouse
- 3. Prepare mouse eyes with drops and place contact lens (focal length 10 mm) on the right eye
- 4. Enter mouse data in the "Create new patient file" area and switch to the "Acquisition" window
- 5. Move the OCT camera to the right position and activate measurement modus
- 6. Place mouse collaterally to the OCT camera on the right side of a platform that is fixed in front of the OCT lens
- 7. Search the contact lens in the live picture of the fundus image field and place the pupil of the mouse eye in the centre of the window
- 8. Move the OCT camera such that OCT lens and contact lens touch each other
- 9. Focus the fundus picture by slightly moving up/down or forward/backward
- 10. Save fundus images
- 11. Set the "Ref.Arm" ruler such that the section of the retina is placed in the centre of the blue rectangle
- 12. Set the mode of measurement on "vertical, horizontal line"
- 13. Move the blue horizontal line in the fundus image field to the optic nerve level
- 14. Save images of retinal sections
- 15. Move the OCT camera to the left position

16. Repeat measurement procedure for the left eye

#### Scheimpflug Imaging:

- 1. Turn on the Pentacam and start the patient data management
- 2. Apply one drop 0.5% Atropine to each mouse eye for pupil dilation
- 3. Enter mouse data in the "Patient" group box and switch to the Scan menu
- 4. Activate the "1 Picture" modus in the "Image Options" area
- 5. Move Pentacam to the right position
- 6. Hold the mouse on a platform such that the vertical LED 475 nm light slit is orientated in the center of the right eye ball
- 7. Guarantee optimal focus by using the fine adjustment software tool in the adjustment window
- 8. Start imaging manually by pressing the "Start Scan" button
- 9. Scheimpflug images are saved automatically
- 10. Move Pentacam to the left position
- 11. Repeat measurement procedure for the left eye

#### **Notes**

- As a minimum, all abnormalities should be imaged.
  - Where capacity permits, all mice can be imaged
- Majority of parameters can be analysed using the standard approach for assessing categorical data. To increase power for analysis purposes, where an abnormality is detected in the left, right or both eyes, the data may be combined to generate one "abnormal" category.
- Data for both eyes is recorded under one parameter to distinguish phenotypes of incomplete penetrance in individuals and if an observation for one or both eyes cannot be made, this is recorded as 'no data'. The IMPC analysis pipeline does not take into account whether an abnormality is fully penetrant or not and the same weight is given for an abnormal observations in one or both eyes. In cases where it is not possible to confirm if an abnormality is present or not, the data is not included in the statistical analysis. The following logic is applied in determining whether to include the data in analysis:
  - If at least one of the eyes shows an abnormality in a particular parameter, the data for that specimen will be included in the statistical analysis even if the other eye is marked as "no data".
  - If the eyes are marked as "no data", or one eye is normal and the other eye is "no data" for a particular parameter the data for that specimen will not be included in the statistical analysis.

#### **Data QC**

Image QC is typically performed during data collection to ensure high quality images are captured whilst eyes are dilated etc.

#### **Parameters and Metadata**

#### Slit Lamp observation HRWLLA\_EYE\_028\_001 | v1.1

Req. Analysis: false Req. Upload: false Is Annotated: false

simpleParameter

Synechia HRWLLA\_EYE\_019\_001 | v1.0 simpleParameter

Req. Analysis: false Req. Upload: false Is Annotated: true

Options: absent, present both eyes, present right eye, no data for both eyes, no data right eye, present left eye, no data right eye, present left eye, no data left eye, present right eye, no data left eye, present right eye,

#### Right eye diameter HRWLLA\_EYE\_090\_001 | v1.0

simpleParameter

Req. Analysis: false Req. Upload: false Is Annotated: true

Unit Measured: mm

.....

#### Retinal Blood Vessels Pattern HRWLLA\_EYE\_026\_001 | v1.0

Req. Analysis: false	Req. Upload: false	Is Annotated: true	
<b>Options:</b> normal, right eye abnormal, no data right eye, left eye abnormal, both eyes abnormal, no data left eye, no data for both eyes, left eye abnormal, no data left eye, right eye abnormal, no data right eye,			
Eye Hemorrhage o	r Blood Presence н	RWLLA_EYE_003_001   v1.0	
Req. Analysis: false	Req. Upload: false	Is Annotated: true	
<b>Options:</b> no data right eye, present left eye, no data for both eyes, present left eye, no data left eye, present right eye, present both eyes, no data right eye, present right eye, no data left eye, absent,			
Scheimpflug Equipment Model HRWLLA_EYE_042_001   v1.4 procedureMetadata			
Req. Analysis: true	Req. Upload: false	Is Annotated: false	
Options: Pentacam,			

Req. Analysis: false	Req. Upload: false	Is Annotated: false	
Lens HRWLLA_EYE_016 simpleParameter	_001   v1.0		
Req. Analysis: false	Req. Upload: true	Is Annotated: true	
<b>Options:</b> right eye abnormal, no data right eye, both eyes abnormal, left eye abnormal, no data for both eyes, no data right eye, left eye abnormal, no data left eye, right eye abnormal, no data left eye,			
Left anterior chamber depth HRWLLA_EYE_067_001   v1.2 simpleParameter			
Req. Analysis: false	Req. Upload: false	Is Annotated: true	
Unit Measured: um			
Right vitreous humor thickness HRWLLA_EYE_087_001   v1.0 simpleParameter			
Req. Analysis: false	Req. Upload: false	Is Annotated: true	

Unit Measured: um

Scheimpflug description HRWLLA\_EYE\_053\_001 | v1.0 simpleParameter Req. Analysis: false Req. Upload: false Is Annotated: false Min left eye lens density HRWLLA\_EYE\_054\_001 | v1.2 simpleParameter Req. Analysis: false Req. Upload: false Is Annotated: true Unit Measured: % Ophthalmoscope Equipment Manufacturer HRWLLA\_EYE\_034\_0 01 | v1.2 procedureMetadata Req. Analysis: true Req. Upload: false Is Annotated: false Options: Heine / Volk, Phoenix Research Labs, Heine, Kowa, Karl Storz / Nikon, Keeler LTD, Haag-Streit, Phoenix,

Req. Analysis: false	Req. Upload: false	Is Annotated: false
Sheimpflug Lens d	escription HRWLLA_EY	YE_052_001   v1.1
Req. Analysis: false	Req. Upload: false	Is Annotated: false
Lett outer nuclear I simpleParameter	ayer HRWLLA_EYE_070_	001   v1.2
Req. Analysis: false	Req. Upload: false	Is Annotated: true
Unit Measured: um		
General Anesthetic HRWLLA_EYE_045_001   v1.1 procedureMetadata		
Req. Analysis: true	Req. Upload: true	Is Annotated: false
Options: Ketamine+Medetom Avertin,	idine, Euthatal, Ketamine+Xyla	zine, Isoflurane, No anesthesia,

#### Corneal mineralization HRWLLA\_EYE\_084\_001 | v1.0

simpleParameter

Req. Analysis: false Req. Upload: false Is Annotated: true

**Options:** no data right eye, no data left eye, present right eye, no data left eye, no data for both eyes, no data right eye, present left eye, absent, present left eye, present right eye, present both eyes,

## **Optical Coherence Tomography Equipment Manufacturer**

HRWLLA\_EYE\_038\_001 | v1.2

procedureMetadata

Req. Analysis: true Req. Upload: false Is Annotated: false

Options: Heidelberg Engineering, Bioptigen,

.....

#### Eyelid closure HRWLLA\_EYE\_005\_001 | v1.0

simpleParameter

Req. Analysis: false Req. Upload: false Is Annotated: true

**Options:** no data for both eyes, right eye closed, no data left eye, right eye closed, both eyes closed, no data right eye, normal, no data left eye, left eye closed, no data right eye, left eye closed,

.....

## Bulging eye HRWLLA\_EYE\_002\_001 | v1.0

simpleParameter

Req. Analysis: false Req. Upload: false Is Annotated: true

**Options:** no data right eye, present left eye, absent, no data left eye, no data left eye, present right eye, present both eyes, present right eye, no data for both eyes, present left eye,

.....

#### Optical Coherence Tomography Equipment Model HRWLLA\_

EYE\_039\_001 | v1.2

procedureMetadata

Req. Analysis: true Req. Upload: false Is Annotated: false

Options: Envisu R2200, EnvisuTM R-Series SDOIS, Spectralis,

.....

#### Lacrimation HRWLLA\_EYE\_086\_001 | v1.0

simpleParameter

Req. Analysis: false Req. Upload: false Is Annotated: true

**Options:** no data right eye, no data for both eyes, no data left eye, present right eye, no data left eye, no data right eye, present left eye, present left eye, present right eye, absent, present both eyes,

#### Narrow eye opening HRWLLA\_EYE\_006\_001 | v1.0

simpleParameter

Req. Analysis: false Req. Upload: false Is Annotated: true

**Options:** no data left eye, right eye abnormal, left eye abnormal, no data for both eyes, no data right eye, left eye abnormal, both eyes abnormal, no data left eye, right eye abnormal, no data right eye, normal,

#### Fusion between cornea and lens HRWLLA\_EYE\_018\_001 | v1.0

simpleParameter

Req. Analysis: false Req. Upload: false Is Annotated: true

**Options:** present left eye, present both eyes, present right eye, no data right eye, present left eye, no data left eye, absent, no data for both eyes, no data right eye, no data left eye, present right eye,

.....

#### Vitreous HRWLLA\_EYE\_083\_001 | v1.1

simpleParameter

Req. Analysis: false Req. Upload: false Is Annotated: true

**Options:** no data for both eyes, no data left eye, right eye abnormal, no data right eye, left eye abnormal, both eyes abnormal, no data right eye, no data left eye, right eye abnormal, left eye abnormal, normal,

-----

#### Right posterior chamber depth HRWLLA\_EYE\_065\_001 | v1.2

simpleParameter

Req. Analysis: false Req. Upload: false Is Annotated: true

Unit Measured: um

## Persistence of hyaloid vascular system HRWLLA\_EYE\_027\_001 |

v1.0

simpleParameter

Req. Analysis: false Req. Upload: false Is Annotated: true

**Options:** no data for both eyes, present both eyes, no data left eye, present right eye, no data right eye, present left eye, present left eye, no data right eye, present right eye, absent, no data left eye,

.....

#### Left total retinal thickness HRWLLA\_EYE\_068\_001 | v1.2

simpleParameter

Req. Analysis: false Req. Upload: false Is Annotated: true

Unit Measured: um

# Experimenter ID HRWLLA\_EYE\_036\_001 | v1.1

procedureMetadata

Req. Analysis: false	Req. Upload: true	Is Annotated: false
Date OCT equipme procedureMetadata	ent last calibrated HF	RWLLA_EYE_049_001   v1.1
Req. Analysis: false	Req. Upload: false	Is Annotated: false
B-scan of right reti	na HRWLLA_EYE_072_00°	1   v1.1
Req. Analysis: false	Req. Upload: false	Is Annotated: false
Left inner nuclear layer HRWLLA_EYE_069_001   v1.2 simpleParameter		
Req. Analysis: false	Req. Upload: false	Is Annotated: true
Unit Measured: um		

# Scheimpflug Equipment Manufacturer HRWLLA\_EYE\_041\_001 | v1 .4 procedureMetadata Req. Analysis: true Req. Upload: false Is Annotated: false Options: Oculus GmbH, Mean right eye lens density HRWLLA\_EYE\_059\_001 | v1.1 simpleParameter Reg. Analysis: false Reg. Upload: false Is Annotated: true **Unit Measured:** % Date Slit Lamp equipment last calibrated HRWLLA\_EYE\_046\_001 | v1.1 procedureMetadata Reg. Analysis: false Reg. Upload: false Is Annotated: false

Iris Pigmentation HRWLLA\_EYE\_015\_001 | v1.0

Req. Analysis: false Req. Upload: false Is Annotated: true **Options:** no data right eye, left eye abnormal, no data left eye, right eye abnormal, no data right eye, left eye abnormal, normal, no data for both eyes, both eyes abnormal, no data left eye, right eye abnormal, Right outer nuclear layer HRWLLA\_EYE\_064\_001 | v1.2 simpleParameter Req. Analysis: false Req. Upload: false Is Annotated: true Unit Measured: um Optic Disc HRWLLA\_EYE\_023\_001 | v1.0 simpleParameter Req. Analysis: false Req. Upload: true Is Annotated: true **Options:** left eye abnormal, right eye abnormal, no data for both eyes, no data left eye, both eyes abnormal, normal, no data left eye, right eye abnormal,

#### Corneal Sclerization HRWLLA EYE 080 001 | v1.1

no data right eye, left eye abnormal, no data right eye,

Req. Analysis: false Req. Upload: false Is Annotated: true

**Options:** no data for both eyes, absent, no data left eye, present right eye, no data right eye, no data right eye, present left eye, present both eyes, no data left eye, present right eye, present left eye,

\_\_\_\_\_

#### Dilation Method HRWLLA\_EYE\_043\_001 | v1.0

procedureMetadata

Req. Analysis: false Req. Upload: true Is Annotated: false

**Options:** Atropine, None, Tropicamide+Phenylephrin, Phenylephrine hydrochloride, Atropine sulphate, Cyclopentolate hydrochloride+Phenylephrine hydrochloride, Cyclopentolate hydrochloride, Tropicamide,

#### Pupil Dilation HRWLLA\_EYE\_013\_001 | v1.0

simpleParameter

Req. Analysis: false Req. Upload: false Is Annotated: true

**Options:** no data left eye, no data right eye, both eyes dilated, normal, no data for both eyes, no data left eye, right eye dilated, left eye dilated, no data right eye, left eye dilated, right eye dilated,

**Req. Analysis:** true **Req. Upload:** true **Is Annotated:** false

Options: Atropine, Atropine sulphate, Oxybuprocain, Hydrochloride, No anesthesia,

Phenylephrine hydrochloride, Mydriacyl,

.....

#### Ophthalmoscope Equipment Model HRWLLA\_EYE\_035\_001 | v1.2

procedureMetadata

Req. Analysis: true Req. Upload: false Is Annotated: false

Options: Genesis, Sigma 150K, Omega 500 Unplugged,

Xenon Nova 175W light source + HOPKINS optic 1218AA /Nikon D5100 + 85 mm f/1.8 lens,

SL4 4AA, Genesis-DF, Genesis-D, OMEGA 180 / Superfield NC, Omega 180 / 60D,

Micron III,

#### Max right eye lens density HRWLLA\_EYE\_058\_001 | v1.1

simpleParameter

Req. Analysis: false Req. Upload: false Is Annotated: true

Unit Measured: %

Req. Analysis: false	Req. Upload: false	Is Annotated: false

#### Eyelid morphology HRWLLA\_EYE\_004\_001 | v1.0

simpleParameter

Req. Analysis: false Req. Upload: false Is Annotated: true

**Options:** both eyes abnormal, right eye abnormal, no data left eye, right eye abnormal, no data for both eyes, no data right eye, no data left eye, normal, no data right eye, left eye abnormal, left eye abnormal,

#### Corneal opacity HRWLLA\_EYE\_008\_001 | v1.0

simpleParameter

Reg. Analysis: false Reg. Upload: true Is Annotated: true

**Options:** no data left eye, no data for both eyes, no data left eye, present right eye, no data right eye, present left eye, present right eye, present both eyes, present left eye, absent, no data right eye,

#### Iris/Pupil HRWLLA\_EYE\_010\_001 | v1.0

simpleParameter

Req. Analysis: false Req. Upload: false Is Annotated: true

no data right eye, left eye abno	ormal, no data left eye, both ey ormal, no data right eye, no dat ormal, right eye abnormal,	ta for both eyes,
Retina (combined) simpleParameter	HRWLLA_EYE_092_001   v	1.0
Req. Analysis: false	Req. Upload: false	Is Annotated: true
Min right eye lens of simpleParameter	density HRWLLA_EYE_0	057_001   v1.1
Req. Analysis: false	Req. Upload: false	Is Annotated: true
Unit Measured: %		

## Corneal deposits HRWLLA\_EYE\_081\_001 | v1.1

simpleParameter

Req. Analysis: false Req. Upload: false Is Annotated: true

**Options:** no data right eye, no data right eye, present left eye, no data left eye, present right eye, present both eyes, no data left eye, absent, present left eye, no data for both eyes,

#### Pupil Shape HRWLLA\_EYE\_012\_001 | v1.0

simpleParameter

Req. Analysis: false Req. Upload: false Is Annotated: true

**Options:** both eyes abnormal, left eye abnormal, right eye abnormal, no data right eye, left eye abnormal, no data right eye, no data left eye, normal, no data for both eyes, no data left eye, right eye abnormal,

.....

#### Mean left eye lens density HRWLLA\_EYE\_056\_001 | v1.1

simpleParameter

Req. Analysis: false Req. Upload: false Is Annotated: true

**Unit Measured:** %

#### Retinal Blood Vessels HRWLLA\_EYE\_024\_001 | v1.0

simpleParameter

Req. Analysis: false Req. Upload: true Is Annotated: true

**Options:** right eye abnormal, no data right eye, both eyes abnormal, no data left eye, left eye abnormal, no data right eye, left eye abnormal, no data left eye, right eye abnormal, no data for both eyes, normal,

#### Retinal Blood Vessels Structure HRWLLA\_EYE\_025\_001 | v1.0

simpleParameter

Reg. Analysis: false Reg. Upload: true Is Annotated: true

**Options:** right eye abnormal, no data right eye, left eye abnormal, left eye abnormal, no data left eye, no data left eye, right eye abnormal, no data right eye, both eyes abnormal, no data for both eyes, normal,

.....

#### Corneal vascularization HRWLLA\_EYE\_009\_001 | v1.0

simpleParameter

Req. Analysis: false Req. Upload: false Is Annotated: true

**Options:** no data for both eyes, present left eye, no data right eye, absent, no data right eye, present left eye, no data left eye, present right eye, present both eyes, no data left eye, present right eye,

#### Right total retinal thickness HRWLLA\_EYE\_062\_001 | v1.2

simpleParameter

Req. Analysis: false Req. Upload: false Is Annotated: true

Unit Measured: um

# Scheimpflug Equipment ID HRWLLA\_EYE\_040\_001 | v1.1

procedureMetadata

Req. Analysis: false	Req. Upload: false	Is Annotated: false
Right anterior char simpleParameter	<b>nber depth</b> HRWLLA_E	YE_061_001   v1.2
Req. Analysis: false	Req. Upload: false	Is Annotated: true
Unit Measured: um		
Slit Lamp Equipme procedureMetadata	ent ID HRWLLA_EYE_030_	_001   v1.2
Req. Analysis: false	Req. Upload: false	Is Annotated: false
VIP of right fundus HRWLLA_EYE_074_001   v1.1 seriesMediaParameter		
Req. Analysis: false	Req. Upload: false	Is Annotated: false

#### Pupil Position HRWLLA\_EYE\_011\_001 | v1.0

simpleParameter

Req. Analysis: false Req. Upload: false Is Annotated: true

**Options:** left eye abnormal, no data left eye, right eye abnormal, no data right eye, both eyes abnormal, no data left eye, no data right eye, left eye abnormal, no data for both eyes, right eye abnormal, normal,

#### Slit Lamp Equipment Manufacturer HRWLLA\_EYE\_031\_001 | v1.2

procedureMetadata

Req. Analysis: true Req. Upload: false Is Annotated: false

Options: Topcon, Phoenix Research Labs, MuLe, Zeiss, CSO, Kowa, Haag-Streit,

.....

#### **Eye** HRWLLA\_EYE\_001\_001 | v1.0

simpleParameter

Req. Analysis: false Req. Upload: false Is Annotated: true

Options: present, absent left eye, absent both eyes, absent right eye,

.....

Req. Analysis: false

Req. Analysis: false	Req. Upload: false	Is Annotated: true
Unit Measured: um		
Corneal ulcer HRWL	LA_EYE_085_001   v1.0	
Req. Analysis: false	Req. Upload: false	Is Annotated: true
present both eyes, present rig no data right eye, present left	data left eye, absent, no data loght eye, no data loght eye, no data right eye, no da	ata for both eyes,
	nea and lens HRWLL/	
Req. Analysis: false	Req. Upload: false	Is Annotated: false
Images Ophthalmo	DSCOPY HRWLLA_EYE_0	50 001   v1.1
seriesMediaParameter		50_551

\_\_\_\_\_

Req. Upload: false Is Annotated: false

B-scan of left retina HRWLLA_EYE_073_001   v1.1 seriesMediaParameter			
Req. Analysis: false	Req. Upload: false	Is Annotated: false	
Right inner nuclea simpleParameter	r layer HRWLLA_EYE_06	3_001   v1.2	
Req. Analysis: false	Req. Upload: false	Is Annotated: true	
Unit Measured: um			
VIP of left fundus HRWLLA_EYE_075_001   v1.1 seriesMediaParameter			
Req. Analysis: false	Req. Upload: false	Is Annotated: false	
Ophthalmoscope Equipment ID HRWLLA_EYE_033_001   v1.2 procedureMetadata			
Req. Analysis: false	Req. Upload: false	Is Annotated: false	

\_\_\_\_\_\_

#### Pupil Light Response HRWLLA\_EYE\_014\_001 | v1.0

simpleParameter

**Req. Analysis:** false **Req. Upload:** false **Is Annotated:** true Options: right eye abnormal, no data right eye, left eye abnormal, left eye abnormal, no data for both eyes, no data left eye, no data left eye, right eye abnormal, both eyes abnormal, normal, no data right eye, Cornea HRWLLA EYE 007 001 | v1.0 simpleParameter Req. Analysis: false Req. Upload: true Is Annotated: true **Options:** no data left eye, no data for both eyes, no data right eye, right eye abnormal, both eyes abnormal, no data right eye, left eye abnormal, left eye abnormal, normal, no data left eye, right eye abnormal, Left posterior chamber depth HRWLLA\_EYE\_071\_001 | v1.2 simpleParameter Req. Analysis: false Req. Upload: false Is Annotated: true Unit Measured: um

#### Left eye diameter HRWLLA\_EYE\_091\_001 | v1.0

simpleParameter

Req. Analysis: false Req. Upload: false Is Annotated: true Unit Measured: mm Iris transilumination HRWLLA EYE 082 001 | v1.1 simpleParameter Req. Analysis: false Req. Upload: false Is Annotated: true Options: right eye abnormal, no data left eye, right eye abnormal, normal, no data left eye, no data right eye, no data for both eyes, left eye abnormal, no data right eye, left eye abnormal, both eyes abnormal, Images Slit Lamp HRWLLA\_EYE\_051\_001 | v1.1 seriesMediaParameter Req. Analysis: false Req. Upload: false Is Annotated: false

Max left eye lens density HRWLLA\_EYE\_055\_001 | v1.1

simpleParameter

Req. Analysis: false	Req. Upload: false	Is Annotated: true
Unit Measured: %		
VIP of left eye HRWL seriesMediaParameter	LA_EYE_079_001   v1.1	
Req. Analysis: false	Req. Upload: false	Is Annotated: false
Left vitreous humo	our thickness HRWLLA	_EYE_088_001   v1.0
Req. Analysis: false	Req. Upload: false	Is Annotated: true
Unit Measured: um		
VIP of right eye HRWLLA_EYE_078_001   v1.1 seriesMediaParameter		
Req. Analysis: false	Req. Upload: false	Is Annotated: false

Req. Analysis: false Req. Upload: false Is Annotated: true

Unit Measured: um

#### Slit Lamp Equipment Model HRWLLA\_EYE\_032\_001 | v1.2

procedureMetadata

Req. Analysis: true Req. Upload: false Is Annotated: false

Options: SL 990, SL30, SL130, SL-15, Micron III slit lamp extension, SL 139, S350,

30 SL-M, SL-7E, BQ 900 LED/IM-900,

.....

## Optical Coherence Tomography Equipment ID HRWLLA\_EYE\_0

37\_001 | v1.1

procedureMetadata

Req. Analysis: false Req. Upload: false Is Annotated: false

#### Date Ophthalmoscope equipment last calibrated HRWLLA\_EY

E\_047\_001 | v1.1

procedureMetadata

Req. Analysis: false Req. Upload: false Is Annotated: false

.....

# Date Scheimpflug equipment last calibrated HRWLLA\_EYE\_048

\_001 | v1.1

procedureMetadata

Req. Analysis: false Req. Upload: false Is Annotated: false

#### Lens Opacity HRWLLA\_EYE\_017\_001 | v1.0

simpleParameter

Req. Analysis: false Req. Upload: true Is Annotated: true

**Options:** absent, present right eye, present both eyes, no data right eye, no data left eye, no data for both eyes, no data left eye, present right eye, present left eye, no data right eye, present left eye,

.....