Viability E14.5-E15.5 Secondary Screen IMP C_EVO_001

Purpose

To assess the viability, sub-viability, and lethality of homozygous embryos at E14.5 or E15.5

Experimental Design

- Set up timed matings with heterozygous mice
- Day 0 is defined as the midpoint of the prior dark cycle following the identification of a copulation plug.
- Collect embryos at E14.5 or E15.5
- Collect tissue and genotype embryos.

Procedure

- 1. Set up timed mating with heterozygous animals. Aim to dissect and collect >=28 alive embryos, otherwise lethal and subviable calls cannot be made. If more than three homozygous pups are produced before 28 pups are genotyped, a viable call can be made.
- 2. Collect tissue for genotyping and (OPTIONAL) score Gross Morphology and/or process for Histopathology and or Imaging.
- 3. Genotype all embryos and
 - a. Strains that produce NO existing homozygous embryos will be considered LETHAL (complete embryonic lethality [MP:TBC]).
 - b. Strains that produce NO live (absence of heartbeat) homozygous embryos will be considered LETHAL (complete embryonic lethality [MP:TBC]).
 - c. Strains that produce live homozygous embryos but with an obvious defect will be left to the discretion of the center with the decision and reason recorded in the parameters.
 - d. X-linked strains that produce NO live hemizygous male embryos from female carriers will be considered LETHAL (complete embryonic lethality [M P:TBC]).
- 4. Flag strains that produce less than normal numbers of homozygous/hemizygous male progeny
 - a. Strains that produce <50% expected homozygous progeny will be annotated as partial embryonic lethality [MP:TBC].
 - b. X-linked strains that produce <50% expected male hemizygous progeny from female carriers will be considered partial embryonic lethality [MP:TBC].

Notes

As the procedure does not allow recording of hemizygous males specifically, hemizygous males should be recorded as homozygotes in this procedure.

Data QC

All genotypes should be collected using validated assays.

Y chromosome assay required for X-linked lethal strains.

Data Analysis, annotation and display (+statistics)

Total Embryos: All, WT, Het, Hom

Alive, dead, and defect (all genotyped)

Total Dead: All, WT, Het, Hom

Total Defect (Alive or Dead): All, WT, Het, Hom

Abnormal and dead embryos
Litter size: all genotyped embryos
ignore partials and reabsorptions.

Parameters and Metadata

Total gross defect at dissection (alive or dead) embryos IM

PC_EVO_012_001 | v1.2

simpleParameter

Req. Analysis: false Req. Upload: true Is Annotated: false

.....

% embryos homozygous IMPC_EVO_020_001 | v1.2

simpleParameter

Req. Analysis: false Req. Upload: false Is Annotated: false

Unit Measured: %				
Derivation: div('IMPC_EVO_007_001', 'IMPC_EVO_004_001')				
Total embryos WT simpleParameter	IMPC_EVO_005_001 v1.0			
Req. Analysis: false	Req. Upload: true	Is Annotated: false		
Total gross defect homozygous IMPC_E simpleParameter	at dissection (alive	or dead)		
Req. Analysis: false	Req. Upload: true	Is Annotated: false		
Total dead heterozygous IMPC_EVO_010_001 v1.0 simpleParameter				
Req. Analysis: false	Req. Upload: true	Is Annotated: false		

Number of reabsorptions IMPC_EVO_016_001 | v1.1

Req. Analysis: false	Req. Upload: false	Is Annotated: false
Total dead homozy simpleParameter	gous IMPC_EVO_011_00	01 v1.0
Req. Analysis: false	Req. Upload: true	Is Annotated: false
Total gross defect	at dissection (alive	or dead) WT IMPC_EV
O_013_001 v1.3 simpleParameter		
Req. Analysis: false	Req. Upload: true	Is Annotated: false
Total live heterozygous IMPC_EVO_025_001 v1.0 simpleParameter		
Req. Analysis: false	Req. Upload: false	Is Annotated: false

Total live homozygous IMPC_EVO_027_001 | v1.0

simpleParameter

Req. Analysis: false Req. Upload: false Is Annotated: false

Embryo medium IMPC_EVO_023_001 | v1.0 procedureMetadata Req. Analysis: false Req. Upload: true Is Annotated: false Options: Ice, Warm PBS, Total dead embryos IMPC_EVO_008_001 | v1.0 simpleParameter Req. Analysis: false Req. Upload: true Is Annotated: false Comment on Decision (in English) IMPC_EVO_003_001 | v1.0 simpleParameter Req. Analysis: false Req. Upload: false Is Annotated: false

Total embryos homozygous IMPC_EVO_007_001 | v1.0

simpleParameter

Req. Analysis: false Req. Upload: true Is Annotated: false

Decision IMPC_EVO_002_001 | v1.0 simpleParameter Req. Analysis: false Req. Upload: true Is Annotated: false Options: Attempt to Image, Go to E18.5, Nothing to Image, Go to E9.5, Total embryos heterozygous IMPC_EVO_006_001 | v1.0 simpleParameter Req. Analysis: false Req. Upload: true Is Annotated: false % embryos heterozygous IMPC_EVO_019_001 | v1.2 simpleParameter Req. Analysis: false Req. Upload: false Is Annotated: false Unit Measured: % **Derivation:** div('IMPC_EVO_006_001', 'IMPC_EVO_004_001')

Req. Analysis: false	Req. Upload: true	Is Annotated: false	
Time of dark cycle start IMPC_EVO_021_001 v1.0 procedureMetadata			
Req. Analysis: false	Req. Upload: true	Is Annotated: false	
Total embryos IMPO simpleParameter	C_EVO_004_001 v1.1		
Req. Analysis: false	Req. Upload: true	Is Annotated: false	
1 144 01			
Average Litter Size	© IMPC_EVO_017_001 v1.0	0	
Req. Analysis: false	Req. Upload: false	Is Annotated: false	

Total gross defect at dissection (alive or dead) heterozygous IMPC_EVO_014_001 | v1.4

Req. Analysis: false	Req. Upload: true	Is Annotated: false		
Total live WT IMPC_E simpleParameter	EVO_026_001 v1.0			
Req. Analysis: false	Req. Upload: false	Is Annotated: false		
Time of dark cycle procedureMetadata	end IMPC_EVO_022_001	v1.1		
Req. Analysis: false	Req. Upload: true	Is Annotated: false		
Outcome IMPC_EVO_001_001 v1.0 simpleParameter				
Req. Analysis: false	Req. Upload: true	Is Annotated: true		
Options: Insufficient numbers to make a call, Homozygous - Lethal, Homozygous - Subviable, Hemizygous - Viable, Hemizygous - Lethal, Homozygous - Viable,				

Req. Analysis: false	Req. Upload: false	Is Annotated: false		
Unit Measured: %				
Derivation: div('IMPC_EVO_005_001', 'IMPC_EVO_004_001')				
Total live embryos IMPC_EVO_024_001 v1.0				
simpleParameter				
Req. Analysis: false	Req. Upload: false	Is Annotated: false		