

OPT E9.5 IMPC_EOL_001

Purpose

To assess morphological defects in E9.5 embryos from lethal strains with OPT.

Experimental Design

- Set up timed matings with heterozygous mice
- Day 0 is defined as the midpoint of the prior dark cycle following the identification of a copulation plug.
- Collect embryos at E9.5 with 3 minimum homozygous and 1 littermate control
- Ensure embryos are bled as much as possible.
- Reconstruct the scans according to Mark's instructions

Procedure

1. **Set up timed mating with heterozygous animals. Dissect and collect ≥ 3 homozygote embryos.**
2. **Process the embryos using the centre's staining and embedding protocol . Centre-specific methods are recorded within a document**
3. **Scan and generate reconstructions of embryos.**

Notes

Embryos may be processed for Histopathology.

Parameters and Metadata

Image Pixel Size IMPC_EOL_006_001 | v1.0

procedureMetadata

Req. Analysis: false

Req. Upload: true

Is Annotated: false

Unit Measured: μm

Equipment ID IMPC_EOL_003_001 | v1.0

procedureMetadata

Req. Analysis: false Req. Upload: true Is Annotated: false

Screenshots IMPC_EOL_012_001 | v1.1

seriesMediaParameter

Req. Analysis: false Req. Upload: false Is Annotated: false

Increments: Minimum 1

Equipment Manufacturer IMPC_EOL_004_001 | v1.0

procedureMetadata

Req. Analysis: false Req. Upload: true Is Annotated: false

E9.5 OPT preperation protocol IMPC_EOL_007_001 | v1.0

procedureMetadata

Req. Analysis: false Req. Upload: true Is Annotated: false

Date Preparation Finished IMPC_EOL_010_001 | v1.1

procedureMetadata

Req. Analysis: false Req. Upload: true Is Annotated: false

Date of Scan IMPC_EOL_011_001 | v1.0

procedureMetadata

Req. Analysis: false Req. Upload: true Is Annotated: false

Equipment Model IMPC_EOL_005_001 | v1.0

procedureMetadata

Req. Analysis: false Req. Upload: true Is Annotated: false

Date equipment last calibrated IMPC_EOL_008_001 | v1.0

procedureMetadata

Req. Analysis: false Req. Upload: false Is Annotated: false

Date of Sacrifice IMPC_EOL_009_001 | v1.0

procedureMetadata

Req. Analysis: false

Req. Upload: true

Is Annotated: false

Experimenter ID IMPC_EOL_002_001 | v1.0

procedureMetadata

Req. Analysis: false

Req. Upload: true

Is Annotated: false

Embryo reconstruction IMPC_EOL_001_001 | v1.1

seriesMediaParameter

Req. Analysis: false

Req. Upload: true

Is Annotated: false

Increments: Minimum 1
