## SHIRPA HMGULA\_SHI\_001

## **Purpose**

The purpose of the assessments is to examine mice for obvious physical characteristics and behaviors.

Descriptions include abnormal locomotion/appearance/behavior/reflex reactions.

### **Experimental Design**

Minimum number of animals: 7M +7F

• Age at test: Week 53

• Sex: We would expect the results of this test to show sexual dimorphism

### **Equipment**

- Viewing Jar
- SHIRPA arena
- Grid above arena
- Click Box
- Geotaxis grid
- Tube for contact righting

#### **Procedure**

- 1. Allow the mice to acclimatise to the phenotyping room for a period of 30 minutes prior to testing.
- 2. Throughout the test note any vocalisation, aggression, salivation or unexpected behaviours.
- 3. Place the mouse in a clear cylinder over a wire grid and observe for activity and tremors.
- 4. Transfer the mouse out of the cylinder by removing the metal plate/grid whilst positioning 30cm over an arena and record the transfer arousal.
- 5. Record the number of  $10\text{cm}^2$  squares the mouse moves into in the first 30 seconds in the arena (locomotor activity).

- 6. Allow the mouse to move freely around the arena whilst being observed for gait and tail elevation.
- 7. Hold the click box approximately 30cm above the arena and press the button, record the response of the mouse.
- 8. Pick up the mouse by the tail and observe for limp grasping and trunk curl. Trunk curl must only be recorded if the mouse curls forward without twisting its body, bending to one side is not scored as a trunk curl.
- 9. Place the mouse in a small transparent tube. Turn the tube quickly so the mouse is fully upside down and record if the mouse rights itself.
- 10. Record any vocalisation and/or aggression which were observed throughout the entire test

#### **Notes**

- 1. If wiping down with ethanol prior to the use of equipment, make sure no ethanol residue remains as the ethanol may affect the behaviour of the animals.
- 2. The validity of results obtained from behavioural phenotyping is largely dependent on methods of animal husbandry. It is important that individuals following this procedure are experienced and aware of the animal's welfare, and is familiar with the animal being tested, in order to reduce the anxiety levels of the animal prior to testing.
- 3. The majority of mouse behavioural studies are age/sex/strain dependent. It is important to keep these parameters comparable throughout a single experiment.
- 4. Environmental factors may contribute to the levels of anxiety within the mouse. The temperature, humidity, ventilation, noise intensity and light intensity must be maintained at levels appropriate for mice. It is essential that the mice be kept in a uniform environment before and after testing to avoid anomalous results being obtained.
- 5. It is recommended that all phenotyping experimentation is conducted at approximately the same time of day because physiological and biochemical parameters change throughout the day.
- 6. When a number of mice are tested continuously, residual odours from the equipment used in the preceding test may affect the test results. The floor and walls of the arena, ruler, and metal net should be wiped clean before introducing the next mouse. To prevent infection, the equipment should be washed with water at the completion of the day's tests. Some specific pathogen-free facilities use ultraviolet irradiation when tests are not being performed. Care needs to be taken, however, to ensure that ultraviolet irradiation does not crack any acrylate equipment covered with residual alcohol.

#### **Parameters and Metadata**

Activity (body position) HMGULA\_SHI\_003\_001 | v1.0

Req. Analysis: false Req. Upload: true Is Annotated: true **Options:** As expected, Inactive, Increased activity, Tremor HMGULA SHI 004 001 | v1.0 simpleParameter Req. Analysis: false Req. Upload: true Is Annotated: true **Options:** Absent, Present, Body weight HMGULA\_SHI\_001\_001 | v1.3 simpleParameter Reg. Analysis: false Reg. Upload: true Is Annotated: false Unit Measured: q

## Locomotor activity HMGULA\_SHI\_002\_001 | v1.2

simpleParameter

Req. Analysis: false Req. Upload: true Is Annotated: true

Unit Measured: Squares crossed

<b>Defecation</b> HMGULA_SimpleParameter	SHI_005_001   v1.0			
Req. Analysis: false	Req. Upload: false	Is Annotated: true		
Options: Present, Absent,				
Transfer arousal HN simpleParameter	//GULA_SHI_006_001   v1.2			
Req. Analysis: false	Req. Upload: false	Is Annotated: false		
	liate movement, Extended free			
<b>Gait</b> HMGULA_SHI_007_0	001   v1.0			
Req. Analysis: false	Req. Upload: true	Is Annotated: true		
Options: Lack of fluidity in movement, Fluid movement,				

#### Tail elevation HMGULA SHI 008 001 | v1.2

simpleParameter

Req. Analysis: false Req. Upload: false Is Annotated: false

Options: Dragging, No data, Straub / elevated tail, As expected,

### Startle response HMGULA\_SHI\_009\_001 | v1.1

simpleParameter

Req. Analysis: false Req. Upload: false Is Annotated: true

Options: No data, None, Present,

.....

#### Touch escape HMGULA\_SHI\_010\_001 | v1.2

simpleParameter

Req. Analysis: false Req. Upload: false Is Annotated: false

**Options:** Response to touch, No response, Flees prior to touch,

#### Trunk curl HMGULA\_SHI\_011\_001 | v1.0

simpleParameter

Req. Analysis: false Req. Upload: true Is Annotated: true

Options: No data, Present, Absent,				
Limb grasp HMGULA_simpleParameter	_SHI_012_001   v1.0			
Req. Analysis: false	Req. Upload: true	Is Annotated: true		
Options: Absent, No data, Pre	esent,			
Pinna reflex HMGULA simpleParameter	_SHI_013_001   v1.0			
Req. Analysis: false	Req. Upload: false	Is Annotated: true		
Options: Present, Absent,				
<b>Urination</b> HMGULA_SH simpleParameter	HI_014_001   v1.0			
Req. Analysis: false	Req. Upload: true	Is Annotated: true		
Options: Absent, Present,				

### Contact righting HMGULA\_SHI\_015\_001 | v1.0

simpleParameter

Req. Analysis: false Req. Upload: true Is Annotated: true Options: No data, Present, Absent, Evidence of Biting HMGULA\_SHI\_016\_001 | v1.0 simpleParameter Req. Analysis: false Req. Upload: false Is Annotated: true Options: Present, Absent, Vocalization HMGULA\_SHI\_017\_001 | v1.0 simpleParameter Req. Analysis: false Req. Upload: true Is Annotated: true **Options:** As expected, Not as expected,

SHIRPA comment HMGULA\_SHI\_018\_001 | v1.0

Req. Analysis: false		Is Annotated: false		
Gait comment HMGL simpleParameter	JLA_SHI_019_001   v1.0			
Req. Analysis: false	Req. Upload: false	Is Annotated: false		
Number of animals in cage HMGULA_SHI_020_001   v1.2 procedureMetadata				
Req. Analysis: false	Req. Upload: true	Is Annotated: false		
Days since cage cleaning HMGULA_SHI_021_001   v1.0 procedureMetadata				
Req. Analysis: false	Req. Upload: false	Is Annotated: false		

# Date/time of procedure start HMGULA\_SHI\_022\_001 | v1.0

procedureMetadata

Req. Analysis: false Req. Upload: false Is Annotated: false

Experimenter ID HMGULA\_SHI\_023\_001 | v1.0 procedureMetadata Req. Analysis: false Req. Upload: true Is Annotated: false Unexpected behaviors HMGULA\_SHI\_024\_001 | v1.0 simpleParameter Req. Analysis: false Req. Upload: true Is Annotated: true Options: Retropulsion, Jumping, Circling, None, Other, Head bobbing HMGULA\_SHI\_025\_001 | v1.0 simpleParameter Req. Analysis: false Req. Upload: true Is Annotated: true Options: Present, Absent,

Location of test HMGULA\_SHI\_026\_001 | v1.1

procedureMetadata

Req. Analysis: false	Req. Upload: true	Is Annotated: false		
Options: LAF cabinet, Open	bench,			
Size of squares in arena HMGULA_SHI_027_001   v1.0 procedureMetadata				
Req. Analysis: true	Req. Upload: true	Is Annotated: false		
Unit Measured: cm^2				