Open Field HAS_OFD_002

Purpose

The Open Field test is used to assess anxiety and exploratory behaviors. It is based on the natural tendency of an animal to explore and to protect itself using avoidance which translates to a normal animal spending more time in the periphery of the Open Field arena than in the center (the most anxiogenic area).

Experimental Design

- Minimum number of animals: 7 per experimental group
- Age at test: 9 weeks.
- **Sex:** both males and females (sexually dimorphic)

Procedure

- 1. Animals are transported to the testing room (or ideally an antechamber) and left undisturbed for 30 minutes before the test.
- 2. Ensure that lighting conditions are as desired (150-200 lux) and that all equipment is working correctly:
 - a. If using a beam break system, ensure that beams are not interrupted before putting the mouse and if measuring vertical activity (rears), check that height of the infrared frame for rears is correctly set.
 - b. If using a videotracking system, set detection parameters appropriate for the coat color of the mice.
 - c. For analysis, each openfield arena is divided into a peripheral zone measuring 8 cm from the edge of the arena walls, and a central zone around 40% of the total surface of the arena.
- 3. Testing is conducted during the light phase of the cycle with 1 hour gap from the light/dark change. Testing should be conducted during the same period of day.
- 4. Wipe the apparatus clean and allow time for it to dry
- 5. Each mouse is placed in the middle of a peripheral zone of the arena facing the wall and allowed to explore freely the apparatus, with the experimenter out of the animal's sight.

If more than one mouse can be tested in parallel, in adjacent open field arenas and mice are video-tracked, it is important to ensure that the tracking of each mouse starts as soon as the mouse is released to make data comparable.

Males and females must be run in separate tests; ideally males are tested first, then followed by females

6. At the end of the 20 min run, animals are labeled (if necessary) and put back into their home cage.

- 7. After each run, any feces are removed and the arena is thoroughly wiped.
- 8. Analysis of the recording is done to measure the activity of each mouse in each of the zones per 5 minute bins.

Notes

- 1. Please ensure that the mice are not handled prior to the test, except handling for cage change.
- 2. Ear clipping should be done after the test if necessary.

Data QC

- 1. Verify total time of run.
- 2. Coherence between latency, number of entries and time in the center; e.g. it is not possible to have zero entries and have spent some time spent in the center.

Parameters and Metadata

Distance travelled HAS_OFD_001_001 | v1.0

seriesParameter

Reg. Analysis: false Reg. Upload: true Is Annotated: true

Description: distance_travelled

Increments: 5, 10, 15, 20,

Number of Rears HAS_OFD_002_001 | v1.0

seriesParameter

Req. Analysis: false Req. Upload: false Is Annotated: true

Description: number_of_rears

Increments: 5, 10, 15, 20,

Whole arena resting time HAS_OFD_003_001 | v1.0

simpleParameter

Req. Analysis: false Req. Upload: true Is Annotated: true

Unit Measured: s

Description: whole_arena_resting_time

Whole arena permanence HAS_OFD_004_001 | v1.0

simpleParameter

Req. Analysis: false Req. Upload: true Is Annotated: true

Unit Measured: s

Description: whole_arena_permanence

Whole arena average speed HAS_OFD_005_001 | v1.0

simpleParameter

Req. Analysis: false Req. Upload: true Is Annotated: true

Unit Measured: cm/s

Description: whole_arena_average_speed

.....

Periphery distance travelled HAS_OFD_006_001 | v1.0

simpleParameter

Req. Analysis: false Req. Upload: true Is Annotated: true

Unit Measured: cm

Description: periphery_distance_travelled

Periphery resting time HAS_OFD_007_001 | v1.0

simpleParameter

Req. Analysis: false Req. Upload: true Is Annotated: true

Unit Measured: s

Description: periphery_resting_time

Periphery permanence time HAS_OFD_008_001 | v1.0

simpleParameter

Req. Analysis: false Req. Upload: true Is Annotated: true

Unit Measured: s

Description: periphery_permanence_time

Periphery average speed HAS_OFD_009_001 | v1.0

simpleParameter

Req. Analysis: false Req. Upload: true Is Annotated: true

Unit Measured: cm/s

Description: periphery_average_speed

.....

Center distance travelled HAS_OFD_010_001 | v1.0

simpleParameter

Req. Analysis: false Req. Upload: true Is Annotated: true

Unit Measured: cm

Description: center_distance_travelled

Center resting time HAS_OFD_011_001 | v1.0

simpleParameter

Req. Analysis: false Req. Upload: true Is Annotated: true

Unit Measured: s

Description: center_resting_time

Center permanence time HAS_OFD_012_001 | v1.0

simpleParameter

Req. Analysis: false Req. Upload: true Is Annotated: true

Unit Measured: s

Description: center_permanence_time

Center average speed HAS_OFD_013_001 | v1.0

simpleParameter

Req. Analysis: false Req. Upload: true Is Annotated: true

Unit Measured: cm/s

Description: center_average_speed

Latency to center entry HAS_OFD_014_001 | v1.0

simpleParameter

Req. Analysis: false Req. Upload: true Is Annotated: true

Unit Measured: s

Description: latency_to_center_entry

Number of center entries HAS_OFD_015_001 | v1.0

simpleParameter

Req. Analysis: false Req. Upload: false Is Annotated: true

Description: number_of_center_entries

Distance travelled - total HAS_OFD_016_001 | v1.0

simpleParameter

Req. Analysis: false Req. Upload: false Is Annotated: true

Unit Measured: cm

Description: distance_travelled_total

Derivation: archived('Sum_of_increments(Distance travelled)')

......

Number of rears - total HAS_OFD_017_001 | v1.0

simpleParameter

Req. Analysis: false Req. Upload: false Is Annotated: true

Description: number_of_rears_total

Derivation: archived('Sum_of_increments(Number of Rears)')			
Percentage center simpleParameter	time HAS_OFD_018_001	v1.0	
Req. Analysis: false	Req. Upload: false	Is Annotated: true	
Unit Measured: %			
Description: percentage_cen	ter_time		
Derivation: archived('(Centre	Permanence Time/Whole Arer	na Permanence Time)*100 ')	
Equipment ID HAS_CoprocedureMetadata	DFD_019_001 v1.0		
Req. Analysis: false	Req. Upload: true	Is Annotated: false	
Description: equipment_nam	e		

Equipment manufacturer HAS_OFD_020_001 | v1.0

procedureMetadata

Req. Analysis: true Req. Upload: true Is Annotated: false

Description: equipment_manufacturer

Equipment model HAS_OFD_021_001 | v1.0

procedureMetadata

Reg. Analysis: true Reg. Upload: true Is Annotated: false

Description: equipment_model

Central zone surface area HAS_OFD_022_001 | v1.0

procedureMetadata

Req. Analysis: true Req. Upload: true Is Annotated: false

Unit Measured: % of total area

Description: central_zone_surface_area

Light intensity in the centre of the arena HAS_OFD_023_001 | v1.

0

procedureMetadata

Req. Analysis: false Req. Upload: true Is Annotated: false

Unit Measured: Lux

Description: light_intensity_in_the_centre_of_the_arena

Number of animals per cage HAS_OFD_024_001 | v1.0

procedureMetadata

Req. Analysis: false Req. Upload: false Is Annotated: false

Description: number_of_animals_per_cage

Color of arena HAS_OFD_025_001 | v1.0

procedureMetadata

Req. Analysis: false Req. Upload: false Is Annotated: false

Description: color_of_arena

Height of the wall HAS_OFD_026_001 | v1.0

procedureMetadata

Req. Analysis: false Req. Upload: false Is Annotated: false

Unit Measured: cm

Description: height_of_the_wall

......

Distance from light source: if direct illumination HAS_OFD_02

7_001 | v1.0

procedureMetadata

Req. Analysis: false Req. Upload: false Is Annotated: false

Unit Measured: cm

Description: distance_from_light_source_if_direct_illuminaton

Periphery zone HAS_OFD_028_001 | v1.0

procedureMetadata

Req. Analysis: true Req. Upload: true Is Annotated: false

Unit Measured: cm

Description: periphery_zone

.....

Type of analysis HAS_OFD_029_001 | v1.0

procedureMetadata

Req. Analysis: true Req. Upload: true Is Annotated: false

Description: type_of_analysis

.....

Arena Size HAS_OFD_030_001 | v1.0

procedureMetadata

Req. Analysis: false Req. Upload: true Is Annotated: false **Description:** arena_size Experimenter ID HAS_OFD_031_001 | v1.0 procedureMetadata Req. Analysis: false Req. Upload: true Is Annotated: false **Description:** experimenter Disinfectant HAS_OFD_032_001 | v1.0 procedureMetadata Req. Analysis: false Req. Upload: false Is Annotated: false **Description:** disinfectant

Start Time HAS_OFD_033_001 | v1.0

procedureMetadata

Req. Upload: false **Is Annotated:** false

Description: start_time

Arena ID HAS_OFD_034_001 | v1.0

procedureMetadata

Req. Analysis: false Req. Upload: false Is Annotated: false

Description: arena_id

Software Version HAS_OFD_035_001 | v1.0

procedureMetadata

Req. Analysis: false Req. Upload: true Is Annotated: false

Description: software_version

Arena Material HAS_OFD_036_001 | v1.0

procedureMetadata

Req. Analysis: false Req. Upload: false Is Annotated: false

Description: arena_material

Date of procedure	HAS OFD 037 001 Lv1 1			
simpleParameter	11/10_01 B_001_001 V1.1			
Req. Analysis: false	Req. Upload: true	Is Annotated: false		
Procedural comments HAS_OFD_038_001 v1.0				
simpleParameter	7176 TWO_01 B_000_001	V 1.0		
Req. Analysis: false	Req. Upload: false	Is Annotated: false		