Open Field HMGULA_OFD_001

Purpose

The Open Field test is used to assess anxiety and exploratory behaviors. It is based on the natural tendency of an animal to explore and to protect itself using avoidance which translates to a normal animal spending more time in the periphery of the Open Field arena than in the center (the most anxiogenic area).

Experimental Design

Minimum number of animals: 7M + 7F

• Age at test: Week 70

• Sex: We would expect the results of this test to show sexual dimorphism

Procedure

- 1. Animals are transported to the testing room (or ideally an antechamber) and left undisturbed for 30 minutes before the test.
- 2. Ensure that lighting conditions are as desired (150-200 lux) and that all equipment is working correctly:
 - 1. If using a beam break system, ensure that beams are not interrupted before putting the mouse and if measuring vertical activity (rears), check that height of the infrared frame for rears is correctly set.
 - 2. If using a videotracking system, set detection parameters appropriate for the coat color of the mice.
 - 3. For analysis, each openfield arena is divided into a peripheral zone measuring 8 cm from the edge of the arena walls, and a central zone around 40% of the total surface of the arena.
- 3. Testing is conducted during the light phase of the cycle with 1 hour gap from the light/dark change. Testing should be conducted during the same period of day.
- 4. Wipe the apparatus clean and allow time for it to dry
- 5. Each mouse is placed in the middle of a peripheral zone of the arena facing the wall and allowed to explore freely the apparatus, with the experimenter out of the animal's sight.

If more than one mouse can be tested in parallel, in adjacent open field arenas and mice are video-tracked, it is important to ensure that the tracking of each mouse starts as soon as the mouse is released to make data comparable.

Males and females must be run in separate tests; ideally males are tested first, then followed by females

- 6. At the end of the 20 min run, animals are labeled (if necessary) and put back into their home cage.
- 7. After each run, any feces are removed and the arena is thoroughly wiped.
- 8. Analysis of the recording is done to measure the activity of each mouse in each of the zones per 5 minute bins.

Notes

- 1. Please ensure that the mice are not handled prior to the test, except handling for cage change.
- 2. Ear clipping should be done after the test if necessary .

Data QC

- 1. Verify total time of run.
- 2. Coherence between latency, number of entries and time in the center; e.g. it is not possible to have zero entries and have spent some time spent in the center.

Parameters and Metadata

Whole arena resting time series HMGULA_OFD_001_001 | v1.0

seriesParameter

Reg. Analysis: false Reg. Upload: false Is Annotated: true

Unit Measured: s

Increments: 5, 10, 15, 20,

.....

Whole arena average speed series HMGULA_OFD_002_001 | v1.0

seriesParameter

Req. Analysis: false Req. Upload: false Is Annotated: true

Unit Measured: cm/s

Increments: 5, 10, 15, 20,

.....

Periphery distance travelled series HMGULA_OFD_003_001 | v1.0

seriesParameter

Req. Analysis: false Req. Upload: false Is Annotated: true

Unit Measured: cm

Increments: 5, 10, 15, 20,

.....

Periphery resting time series HMGULA_OFD_004_001 | v1.0

seriesParameter

Req. Analysis: false Req. Upload: false Is Annotated: true

Unit Measured: s

Increments: 5, 10, 15, 20,

Distance travelled HMGULA_OFD_005_001 | v1.0

seriesParameter

Req. Analysis: false Req. Upload: true Is Annotated: true

Unit Measured: cm

Increments: 5, 10, 15, 20,			
Number of Rears H	MGULA_OFD_006_001 v1.	0	
Req. Analysis: false	Req. Upload: false	Is Annotated: true	
Increments: 5, 10, 15, 20,			
Whole arena restin	g time HMGULA_OFD_0	07_001 v1.0	
Req. Analysis: false	Req. Upload: true	Is Annotated: true	
Unit Measured: ธ			
Whole arena permanence HMGULA_OFD_008_001 v1.0			
Req. Analysis: false	Req. Upload: true	Is Annotated: false	
Unit Measured: s			

Whole arena average speed HMGULA_OFD_009_001 | v1.0

simpleParameter

Req. Analysis: false	Req. Upload: true	Is Annotated: true
Unit Measured: cm/s		
Periphery distance simpleParameter	travelled HMGULA_OF	D_010_001 v1.0
Req. Analysis: false	Req. Upload: true	Is Annotated: true
Unit Measured: cm		
	_	
Periphery resting t simpleParameter	ime HMGULA_OFD_011_0	001 v1.0
Req. Analysis: false	Req. Upload: true	Is Annotated: true
Unit Measured: s		

Periphery permanence time HMGULA_OFD_012_001 | v1.0

simpleParameter

Req. Analysis: false	Req. Upload: true	Is Annotated: true
Unit Measured: s		
Periphery average simpleParameter	speed HMGULA_OFD_01	3_001 v1.0
Req. Analysis: false	Req. Upload: true	Is Annotated: true
Unit Measured: cm/s		
center distance tra	IVEIIED HMGULA_OFD_0^	14_001 v1.0
Req. Analysis: false	Req. Upload: true	Is Annotated: true
Unit Measured: cm		
Center resting time	HMGULA_OFD_015_001	v1.0
Req. Analysis: false	Req. Upload: true	Is Annotated: true

Unit Measured: s

Ce time HMGULA_OFD_0	16_001 v1.0		
Req. Upload: true	Is Annotated: true		
eed HMGULA_OFD_017_0	001 v1.0		
Req. Upload: true	Is Annotated: true		
Latency to center entry HMGULA_OFD_018_001 v1.0			
Req. Upload: true	Is Annotated: true		
	Req. Upload: true Req. Upload: true Req. Upload: true Req. Upload: true Req. Upload: true		

Number of center entries HMGULA_OFD_019_001 | v1.0

Req. Analysis: false	Req. Upload: false	Is Annotated: true
Distance travelled simpleParameter	- total HMGULA_OFD_020	D_001 v1.1
Req. Analysis: false	Req. Upload: false	Is Annotated: true
Unit Measured: cm		

Number of rears - total HMGULA_OFD_021_001 | v1.1

simpleParameter

Req. Analysis: false Req. Upload: false Is Annotated: true

Derivation: sumOfIncrements('HMGULA_OFD_006_001', 4)

Derivation: sumOfIncrements('HMGULA_OFD_005_001', 4)

Percentage center time HMGULA_OFD_022_001 | v1.1

simpleParameter

Req. Analysis: false Req. Upload: false Is Annotated: true

Unit Measured: %			
Derivation: mul(div('HMGULA	Derivation: mul(div('HMGULA_OFD_016_001', 'HMGULA_OFD_008_001'), 100)		
Equipment ID HMGU procedureMetadata	LA_OFD_023_001 v1.0		
Req. Analysis: false	Req. Upload: true	Is Annotated: false	
Equipment manufacturer HMGULA_OFD_024_001 v1.0 procedureMetadata			
Req. Analysis: true	Req. Upload: true	Is Annotated: false	
Options: TSE Systems, MED Associates Inc, San Diego, O'hara CO Ltd., Panlab, Noldus, Accuscan, Columbus Instruments, Biobserve, Omnitech,			
Equipment model HMGULA_OFD_025_001 v1.0 procedureMetadata			
Req. Analysis: true	Req. Upload: true	Is Annotated: false	
Options: ActiMot / MoTil, MED-OFA-RS, 2325-0248, TijmeOF9, LE8822, Unknown, ActiMot / MoTil 480 x 480 mm, VMX 1.4b, Opto-Varimex 4, SuperFlex Fusion,			

Central zone surface area HMGULA OFD 026 001 | v1.0

procedureMetadata

Req. Analysis: false Req. Upload: true Is Annotated: false Unit Measured: % of total area **Options:** 39, 40, 41, 42, Light intensity in the centre of the arena HMGULA_OFD_027_001 | v1.0 procedureMetadata Req. Analysis: false Req. Upload: true Is Annotated: false Unit Measured: Lux Number of animals per cage HMGULA_OFD_028_001 | v1.0 procedureMetadata

Req. Analysis: false Req. Upload: false Is Annotated: false

Color of arena HMGULA OFD 029 001 | v1.0

Req. Analysis: false	Req. Upload: false	Is Annotated: false	
Options: Black, Transparent,	White, Grey,		
Height of the wall HorocedureMetadata	HMGULA_OFD_030_001 v1	.0	
Req. Analysis: false	Req. Upload: false	Is Annotated: false	
Unit Measured: cm			
Distance from light source: if direct illumination HMGULA_OF D_031_001 v1.0 procedureMetadata			
Req. Analysis: false	Req. Upload: false	Is Annotated: false	
Unit Measured: cm			

Periphery zone HMGULA_OFD_032_001 | v1.0

procedureMetadata

Req. Analysis: false Req. Upload: true Is Annotated: false

Unit Measured: cm		
Options: 8, 7.6, 7.35, 9.39, 7	.5, 7.9,	
Type of analysis HI procedureMetadata	MGULA_OFD_033_001 v1.0	
Req. Analysis: true	Req. Upload: true	Is Annotated: false
Options: Wide beam break, \	Video tracking,	
Arena Size HMGULA_procedureMetadata	OFD_034_001 v1.0	
Req. Analysis: false	Req. Upload: true	Is Annotated: false
Options: 45x45, 43.2x43.2, 4	10.5x40.5, 40x40, 44x44, 42x42	2, 44.5x44.5, 50x50,
Experimenter ID HMGULA_OFD_035_001 v1.0 procedureMetadata		
Req. Analysis: false	Req. Upload: true	Is Annotated: false

Disinfectant HMGULA_OFD_036_001 | v1.0

procedureMetadata

Req. Analysis: false	Req. Upload: false	Is Annotated: false

Start Time HMGULA_OFD_037_001 | v1.0

procedureMetadata

Req. Analysis: false Req. Upload: false Is Annotated: false

Arena ID HMGULA_OFD_038_001 | v1.0

procedureMetadata

Req. Analysis: false Req. Upload: false Is Annotated: false

Software Version HMGULA_OFD_039_001 | v1.0

procedureMetadata

Req. Analysis: false Req. Upload: true Is Annotated: false

Options: 06.15 / 07.01, Topscan Lite, Image OF, Actitrack system, Ethovision XT v8.5, Versamax 4.2, TSE ActiMot Vers. 08.00, Activity Monitor V6.02, Opto-Varimex 4 AutoTrack System 4.97, TimeOFCR4, Fusion v6.3, Ethovision XT v15, TSE ActiMot Vers. 08.10, TSE ActiMot Vers. 08.12,

Arena Material HMGULA OFD 040 001 | v1.0 procedureMetadata Req. Analysis: false Req. Upload: false Is Annotated: false Date equipment last calibrated HMGULA_OFD_041_001 | v1.0 procedureMetadata Reg. Analysis: false Reg. Upload: false Is Annotated: false Periphery permanence time series HMGULA_OFD_042_001 | v1.0 seriesParameter Reg. Analysis: false Reg. Upload: false Is Annotated: true Unit Measured: s Increments: 5, 10, 15, 20,

Periphery average speed series HMGULA_OFD_043_001 | v1.0

seriesParameter

Req. Analysis: false Req. Upload: false Is Annotated: true

Unit Measured: cm/s
Increments: 5, 10, 15, 20,

Center distance travelled series HMGULA_OFD_044_001 | v1.0 seriesParameter

Req. Analysis: false Req. Upload: false Is Annotated: true

Unit Measured: cm
Increments: 5, 10, 15, 20,

Center resting time series HMGULA_OFD_045_001 | v1.0

seriesParameter

Req. Analysis: false Req. Upload: false Is Annotated: true

Unit Measured: s

Increments: 5, 10, 15, 20,

.....

Center permanence time series HMGULA_OFD_046_001 | v1.0

seriesParameter

Req. Analysis: false Req. Upload: false Is Annotated: true

Unit Measured: s

Increments: 5, 10, 15, 20,

.....

Center average speed series HMGULA_OFD_047_001 | v1.0

seriesParameter

Req. Analysis: false Req. Upload: false Is Annotated: true

Unit Measured: cm/s

Increments: 5, 10, 15, 20,

Number of center entries series HMGULA_OFD_048_001 | v1.0

seriesParameter

Req. Analysis: false Req. Upload: false Is Annotated: true

Increments: 5, 10, 15, 20,

Light beam barrier height (Z axis) HMGULA_OFD_049_001 | v1.0

procedureMetadata

Req. Analysis: true Req. Upload: false Is Annotated: false

Unit Measured: cm

Description: height of the Z axis light beam used to determine when mouse is rearing

Options: 8.6, 6.8, 8.0, 7.5,

.....

Percentage center movement time HMGULA_OFD_050_001 | v1.0

simpleParameter

Req. Analysis: false Req. Upload: false Is Annotated: true

Unit Measured: %

Description: percentage_center_movement_time

Derivation:

mul(div(sub('HMGULA_OFD_016_001', 'HMGULA_OFD_015_001'),'HMGULA_OFD_008_001'),100)

Resting definition threshold HMGULA_OFD_051_001 | v1.0

procedureMetadata

Req. Analysis: false Req. Upload: false Is Annotated: false

Description: Parameter measuring how the equipment defines a 'resting' animal

Options: Stationary for > 1 second, Stationary for any time, Within grid for > 2 seconds,

Rearing definition threshold HMGULA_OFD_052_001 | v1.0

procedureMetadata

Req. Analysis: false Req. Upload: false Is Annotated: false

Description: Parameter measuring how the equipment defines a 'rearing' animal

Options: No threshold, 1 second,

.....