

Echo MRI HAS_EMI_002

Parameters and Metadata

Date of procedure HAS_EMI_004_001 | v1.1

simpleParameter

Req. Analysis: false Req. Upload: true Is Annotated: false

Description: date_of_procedure

Body weight HAS_EMI_005_001 | v1.2

simpleParameter

Req. Analysis: false Req. Upload: true Is Annotated: false

Unit Measured: g

Description: weight

Fat mass HAS_EMI_006_001 | v1.1

simpleParameter

Req. Analysis: false Req. Upload: true Is Annotated: true

Unit Measured: g

Description: fat_mass

Lean mass HAS_EMI_007_001 | v1.1

simpleParameter

Req. Analysis: false

Req. Upload: true

Is Annotated: true

Unit Measured: g

Description: lean_mass

Free water HAS_EMI_008_001 | v1.2

simpleParameter

Req. Analysis: false

Req. Upload: true

Is Annotated: false

Description: free_water

Total water HAS_EMI_009_001 | v1.2

simpleParameter

Req. Analysis: false

Req. Upload: true

Is Annotated: false

Description: total_water

Percentage fat HAS_EMI_010_001 | v1.1

simpleParameter

Req. Analysis: false

Req. Upload: false

Is Annotated: true

Unit Measured: %

Description: percentage_fat

Derivation: archived('(fat mass/body weight)*100')

Percentage lean HAS_EMI_011_001 | v1.1

simpleParameter

Req. Analysis: false

Req. Upload: false

Is Annotated: true

Unit Measured: %

Description: percentage_lean

Derivation: archived('(Lean mass/body weight)*100')

Percentage free water HAS_EMI_012_001 | v1.2

simpleParameter

Req. Analysis: false

Req. Upload: false

Is Annotated: false

Unit Measured: %

Description: percentage_free_water

Derivation: archived('(free water/body weight)*100')

Percentage total water HAS_EMI_013_001 | v1.3

simpleParameter

Req. Analysis: false

Req. Upload: false

Is Annotated: false

Unit Measured: %

Description: percentage_total_water

Derivation: archived('(total water/body weight)*100')

PIL number HAS_EMI_014_001 | v1.0

procedureMetadata

Req. Analysis: false

Req. Upload: true

Is Annotated: false

General comments HAS_EMI_001_001 | v1.2

simpleParameter

Req. Analysis: false

Req. Upload: false

Is Annotated: false

Description: general_comments_about_the_mouse

Equipment ID HAS_EMI_002_001 | v1.0

procedureMetadata

Req. Analysis: false **Req. Upload:** true **Is Annotated:** false

Description: equipment_name

Equipment manufacturer HAS_EMI_003_001 | v1.0

procedureMetadata

Req. Analysis: true **Req. Upload:** true **Is Annotated:** false

Description: equipment_manufacturer

Options: Echo Medical Systems,

Equipment model HAS_EMI_015_001 | v1.0

procedureMetadata

Req. Analysis: true **Req. Upload:** true **Is Annotated:** false

Options: Echo MRI 100, Echo MRI 130,

Procedural comments HAS_EMI_016_001 | v1.0

simpleParameter

Req. Analysis: false **Req. Upload:** false **Is Annotated:** false
